Nous vous conseillons de sélectionner et de visiter le site Web de votre emplacement pour prendre connaissance des produits, des promotions et des événements les plus pertinents.

Stay here Passer au site Web de votre emplacement

ZenScreen MB165B

Viewing 1 - 1 of 1

Model

ZenScreen MB165B

Display

Panel Size (inch) : 15.6
Aspect Ratio : 16:9
Display Viewing Area (H x V) : 344.23*193.54mm
Display Surface : Non-Glare
Backlight Type : LED
Panel Type : TN
Viewing Angle (CR≧10, H/V) : 90°/ 65°
Pixel Pitch : 0.252mm
Resolution : 1366x768 (WXGA)
Brightness (Typ.) : 220cd/㎡
Contrast Ratio (Typ.) : 500:1
Display Colors : 260K
Response Time : 10ms(Tr+Tf)
Refresh Rate (Max) : 60Hz
Flicker-free : No

Video Feature

HDCP : Yes
DisplayWidget : Yes

Audio Feature	Speaker : No
I/O Ports	USB 3.2 (Signal) : x 1
Power Consumption	Power Consumption : 4.88 W Power Saving Mode : <0.5W Power Off Mode : <0.3W Voltage : DC: 5V, 3A
Mechanical Design	Height Adjustment : No 1/4" Tripod Socket : Yes
Dimensions (Esti.)	Phys. Dimension without Stand (W x H x D) : 36.01 x 22.50 x 1.18 cm (14.18" Box Dimension (W x H x D) : 43.40 x 29.00 x 7.60 cm (17.09" x 11.42" x 2.99")
Weight (Esti.)	Net Weight without Stand : 0.78 kg (1.72 lbs) Gross Weight : 1.65 kg (3.64 lbs)
Accessories (vary by regions)	Quick start guide USB 3.2 cable Warranty Card ZenScreen sleeve
Note	For auto rotation/brightness/contrast adjustment functions, please go to pr install latest DisplayWidget tool. * DisplayWidget is working under Windows

HDMI®
HIGH-DEFINITION MULTIMEDIA INTERFACE

- Products certified by the Federal Communications Commission and Industry Canada will be distributed in the United States and Canada. Please visit the ASUS USA and ASUS Canada websites for information about locally available products.
- All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets.
- Specifications and features vary by model, and all images are illustrative. Please refer to specification pages for full details.
- PCB color and bundled software versions are subject to change without notice.
- Brand and product names mentioned are trademarks of their respective companies.
- The terms HDMI and HDMI High-Definition Multimedia Interface, HDMI trade dress and the HDMI Logos are trademarks or registered trademarks of HDMI Licensing Administrator, Inc. in the United States and other countries.

- The actual transfer speed of USB 3.0, 3.1, 3.2, and/or Type-C will vary depending on many factors including the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment.

Shop and Learn

Mobile / Handhelds
Phones
Accessories

Laptops
For Home
For Work
For Creators
For Students
For Gaming
Accessories

Displays / Desktops
Monitors
Projectors
All-in-One PCs
Tower PCs
Gaming Tower PCs

NUCs
Mini PCs
Workstations
Accessories

Motherboards / Components
Motherboards
Graphics Cards
Gaming Cases
Cooling
Power Supply Units
Sound Cards
Optical Drives
Data Storage
External Graphics Docks

Networking / IoT / Servers
WiFi 7
WiFi 6
WiFi Routers
Whole Home Mesh WiFi System

Business Network Solutions
Wired Networking
Intelligent Robots
AIoT & Industrial Solutions
Servers
Smart Home

Accessories
Keyboards
Mice and Mouse Pads
Headsets and Audio
Streaming Kits
Apparel Bags and Gear
Cases and Protection
Adapters and Chargers
Docks Dongles and Cable
Power Banks
Controller
Gimbal

Learn More
Asus Design Center
ASUSPRO
Automotive Solutions
AVC Licensing Notice
ASUS Blog

Support
Check Repair Status
Find Service Locations
Product Registration
Email Us
Call Us
Security Advisory
ASUS Support Videos
MyASUS

About Us
About ASUS
News
Investor Relations
About CSR for global
Press Room
ASUSTOR Inc.
ASUS Cloud Corporation
UniMax Electronics Inc.

©ASUSTeK Computer Inc. All rights reserved. Terms of Use Notice | Privacy Policy Global / English