

MPN: B-UTP515

Cat5e UTP 15m Grey

Looking for a great connection?

With MicroConnect you get:

- Great products at a great value.
- 25 years warranty.
- Short delivery time.
- Easy access to the part you want through our cable guide.

- Suitable for Gigabit (10/100/1000 Mbit) network
- CAT5e tested up to 100MHz
- with Latch Protection
- with slimline relief
- with gold plated PINs



Caractéristiques

Features	Blindage du câble	U/UTP (UTP)
	Câble standard	Cat5e
	Conformité RoHS	Oui
	Connecteur 1	RJ45
	Connecteur 2	RJ45
	Fréquence	100 MHz
	Genre de connecteur 1	Mâle
	Genre de connecteur 2	Mâle
	Longueur de câble	15 m
	Matériau conducteur	Aluminium cuivré (CCA)
	Taille des fils AWG	26/7
	Taux de transfert de données	1000 Mbit/s
	Technologie de câblage	10/100/1000Base-T(X)
	Type de câble	Cat5e
	Type de conducteur	Stranded
Other features	Caractéristiques	Kink Protection, strain relief and Latch Protection
	Série de produit	Round Cable
Package dimensions (verified)	Depth Verified	13,6 cm
	Gross Weight Verified	0,208 kg
	Height Verified	7,2 cm
	Width Verified	13,7 cm
Packaging data	Quantité	1 pc(s)
Product dimensions	Net Weight (Product, kg)	0,10799999999999998 kg
Vendor information	Brand Name	MicroConnect
	Warranty	25 Année (s)

Weight & dimensions**Diamètre extérieur**

4,5 mm

Autres produits de cette série



Longueur de câble	Blanc	Bleu	Gris	Jaune
0,25 m	B-UTP50025W	B-UTP50025B	B-UTP50025	B-UTP50025Y
0,5 m	B-UTP5005W	B-UTP5005B	B-UTP5005	B-UTP5005Y
1,0 m	B-UTP501W	B-UTP501B	B-UTP501	B-UTP501Y
1,5 m	B-UTP5015W	B-UTP5015B	B-UTP5015	B-UTP5015Y
2,0 m	B-UTP502W	B-UTP502B	B-UTP502	B-UTP502Y
3,0 m	B-UTP503W	B-UTP503B	B-UTP503	B-UTP503Y
5,0 m	B-UTP505W	B-UTP505B	B-UTP505	B-UTP505Y
7,5 m	B-UTP5075W	B-UTP5075B	B-UTP5075	
10,0 m	B-UTP510W	B-UTP510B	B-UTP510	B-UTP510Y
15,0 m	B-UTP515W	B-UTP515B	B-UTP515	B-UTP515Y
20,0 m	B-UTP520W	B-UTP520B	B-UTP520	B-UTP520Y



Longueur de câble	Noir	Orange	Rouge	Vert
0,25 m	B-UTP50025S	B-UTP50025O	B-UTP50025R	B-UTP50025G
0,5 m	B-UTP5005S	B-UTP5005O	B-UTP5005R	B-UTP5005G
1,0 m	B-UTP501S	B-UTP501O	B-UTP501R	B-UTP501G
1,5 m	B-UTP5015S	B-UTP5015O	B-UTP5015R	B-UTP5015G
2,0 m	B-UTP502S	B-UTP502O	B-UTP502R	B-UTP502G
3,0 m	B-UTP503S	B-UTP503O	B-UTP503R	B-UTP503G
5,0 m	B-UTP505S	B-UTP505O	B-UTP505R	B-UTP505G
7,5 m	B-UTP5075S	B-UTP5075O	B-UTP5075R	B-UTP5075G
10,0 m	B-UTP510S	B-UTP510O	B-UTP510R	B-UTP510G
15,0 m	B-UTP515S	B-UTP515O	B-UTP515R	B-UTP515G
20,0 m	B-UTP520S	B-UTP520O	B-UTP520R	B-UTP520G



Longueur de câble	Violet
0,25 m	B-UTP50025P
0,5 m	B-UTP5005P
1,0 m	B-UTP501P
1,5 m	B-UTP5015P
2,0 m	B-UTP502P



Longueur de câble	Violet
3,0 m	B-UTP503P
5,0 m	B-UTP505P
7,5 m	B-UTP5075P
10,0 m	B-UTP510P
15,0 m	B-UTP515P
20,0 m	B-UTP520P