

MPN: B-UTP602Y

Cat6 UTP 2m Yellow

Looking for a great connection?

With MicroConnect you get:

- Great products at a great value.
- 25 years warranty.
- Short delivery time.
- Easy access to the part you want through our cable guide.

- Suitable for Gigabit (10/100/1000 Mbit) network
- CAT6 tested up to 250 MHz
- with Latch Protection
- with slimline relief
- with gold-plated pins



Caractéristiques

Features	Blindage du câble	U/UTP (UTP)	
	Câble standard	Cat6	
	Conformité RoHS	Oui	
	Connecteur 1	RJ45	
	Connecteur 2	RJ45	
	Couleur du produit	Jaune	
	Fréquence	250 MHz	
	Genre de connecteur 1	Mâle	
	Genre de connecteur 2	Mâle	
	Longueur de câble	2 m	
	Matériau conducteur	Aluminium cuivré (CCA)	
	Matériau du manteau	Polyvinyl chloride (PVC)	
	Taille des fils AWG	26/7	
	Taux de transfert de données	10000 Mbit/s	
	Technologie de câblage	10/100/1000Base-T(X)	
	Type de câble	Cat6	
	Type de conducteur	Stranded	
	Other features	Caractéristiques	Kink Protection, strain relief and Latch Protection
		Série de produit	Round Cable
Package dimensions (verified)	Depth Verified	12,6 cm	
	Gross Weight Verified	0,058 kg	
	Height Verified	2,5 cm	
	Width Verified	13,6 cm	
Packaging data	Quantité	1 pc(s)	
Product dimensions	Net Weight (Product, kg)	0,048 kg	

Vendor information	Brand Name	MicroConnect
	Warranty	25 Année (s)
Weight & dimensions	Diamètre extérieur	6 mm

Autres produits de cette série



Longueur de câble	Blanc	Bleu	Gris	Jaune
0.25 m	B-UTP60025W	B-UTP60025B	B-UTP60025	B-UTP60025Y
0.5 m	B-UTP6005W	B-UTP6005B	B-UTP6005	B-UTP6005Y
1.0 m	B-UTP601W	B-UTP601B	B-UTP601	B-UTP601Y
1.5 m	B-UTP6015W	B-UTP6015B	B-UTP6015	B-UTP6015Y
2.0 m	B-UTP602W	B-UTP602B	B-UTP602	B-UTP602Y
3.0 m	B-UTP603W	B-UTP603B	B-UTP603	B-UTP603Y
5.0 m	B-UTP605W	B-UTP605B	B-UTP605	B-UTP605Y
7.5 m	B-UTP6075W	B-UTP6075B	B-UTP6075	B-UTP6075Y
10.0 m	B-UTP610W	B-UTP610B	B-UTP610	B-UTP610Y
15.0 m	B-UTP615W	B-UTP615B	B-UTP615	B-UTP615Y
20.0 m	B-UTP620W	B-UTP620B	B-UTP620	B-UTP620Y
25.0 m			B-UTP625	
30.0 m			B-UTP630	



Longueur de câble	Noir	Orange	Rouge	Vert
0.25 m	B-UTP60025S	B-UTP60025O	B-UTP60025R	B-UTP60025G
0.5 m	B-UTP6005S	B-UTP6005O	B-UTP6005R	B-UTP6005G
1.0 m	B-UTP601S	B-UTP601O	B-UTP601R	B-UTP601G
1.5 m	B-UTP6015S	B-UTP6015O	B-UTP6015R	B-UTP6015G
2.0 m	B-UTP602S	B-UTP602O	B-UTP602R	B-UTP602G
3.0 m	B-UTP603S	B-UTP603O	B-UTP603R	B-UTP603G
5.0 m	B-UTP605S	B-UTP605O	B-UTP605R	B-UTP605G
7.5 m	B-UTP6075S		B-UTP6075R	B-UTP6075G
10.0 m	B-UTP610S	B-UTP610O	B-UTP610R	B-UTP610G
15.0 m	B-UTP615S		B-UTP615R	B-UTP615G
20.0 m	B-UTP620S	B-UTP620O	B-UTP620R	B-UTP620G
25.0 m				
30.0 m				



Longueur de câble	Violet
0.25 m	B-UTP60025P
0.5 m	B-UTP6005P



Longueur de câble	Violet
1.0 m	B-UTP601P
1.5 m	B-UTP6015P
2.0 m	B-UTP602P
3.0 m	B-UTP603P
5.0 m	B-UTP605P
7.5 m	
10.0 m	B-UTP610P
15.0 m	B-UTP615P
20.0 m	B-UTP620P
25.0 m	
30.0 m	