


MPN: FIB421003

## Optical Fibre Cable, LC-SC, Singlemode, Duplex, OS2 (Yellow), 3m

Single mode fiber optic cable is suitable for enterprise network, Telecom rooms, server farms, cloud storage networks and any place where fiber jumper cables are needed. This cable is ideal for connecting 1G/10G/40G/100G Ethernet connections. It can transport data for up to 10km at 1310nm, or up to 40km at 1550nm. The single mode patch cords are manufactured using LSZH cables which conform to IEC, EIA TIA or Telcordia standards.

- Designed for Data Centers, Industry and Computer Centers
- LSZH (Low Smoke Zero Halogen) and flame retardant
- RoHS compliant



### Caractéristiques

Features	Conformité RoHS	Oui
	Connecteur 1	LC/UPC
	Connecteur 2	SC/UPC
	Couleur du produit	Jaune
	Diamètre du revêtement	125 µm
	Diamètre principal	9 µm
	Full duplex	Oui
	Genre de connecteur 1	Mâle
	Genre de connecteur 2	Mâle
	Longueur de câble	3 m
	Matériau du manteau	LSZH (Low smoke zero halogen )
	Perte d'insertion	0,3 dB
	Sans halogene	Oui
	Structure du mode de fibre	Monomode
	Type de fibre optique	OS2
	Operational conditions	Température d'opération
Température hors fonctionnement		-40 - 85 °C
Package dimensions (verified)	Depth Verified	17,6 cm
	Gross Weight Verified	0,04 kg
	Height Verified	2,1 cm
	Width Verified	19 cm
Product dimensions	Net Weight (Product, kg)	0,03 kg
Vendor information	Brand Name	MicroConnect
	Warranty	25 Année (s)

**Weight & dimensions**

**Diamètre du câble**

2 mm

## Autres produits de cette série



Longueur de câble	OS2
0.5 m	FIB4210005
1.0 m	FIB4210001
1.5 m	FIB4210015
2.0 m	FIB4210002
3.0 m	FIB4210003
4.0 m	FIB4210004
5.0 m	FIB4210005
6.0 m	FIB4210006
7.0 m	FIB4210007
8.0 m	FIB4210008
10.0 m	FIB421010
12.0 m	FIB421012
15.0 m	FIB421015
20.0 m	FIB421020
25.0 m	FIB421025
30.0 m	FIB421030
33.0 m	FIB421033
40.0 m	FIB421040
45.0 m	FIB421045

## Autres photos

